Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



SEEDS

for the

NURSERYMAN

AND

FORESTER



***** 1937-8

F. W. SCHUMACHER

Horticulturist

JAMAICA PLAIN, - BOSTON, MASS.

TERMS

Deliveries are subject to yield of crops and safe arrival of our consignments and prices subject to change.

While we endeavor to carry ample stock, it is nevertheless impossible to have all seeds listed available at all times. Certain items cannot be stored successfully and are available in season only. Please bear this in mind when you place an order with us.

All seeds and plants are sold without warranty, expressed or implied as to description and productiveness. Seeds should be carefully inspected upon arrival and claims for conditions made at once. We cannot consider claims after seeds have been stored or planted.

All shipments travel at buyer's risk and claims for damages in transit must be taken up with the transportation companies.

Remittances made should include a fair amount for packing and postage, if shipment by mail is requested. Bags are being charged at cost price.

PACKETS—We shall be glad to supply packets of all items listed, if possible, and will charge 15c per packet unless listed otherwise.

TERMS—5% Discount for cash with order; for customers of approved credit, 10 days 2%; 30 days net.

SEND IN YOUR ORDER EARLY

Order from this catalogue until you receive a new issue. We shall extend the benefit of lower seasonable prices whenever it is possible to do so.

OTHER PUBLICATIONS—We issue two other catalogues.

- 1. A descriptive catalogue of all seeds of trees and shrubs suitable for FOREST PLANTING.
- 2. A price list for choice hardy herbaceous PERENNIALS and ROCKPLANTS.

Copies are gladly mailed upon request.

NATIVE AMERICAN SEEDS WANTED
We huy and exchange seeds

F. W. SCHUMACHER

579 Centre Street

P. O. Box 131

JAMAICA PLAIN, BOSTON, MASS.

Telephone Jamaica 1571

Cable Address, Treeseeds Boston

CONIFERS

	oz.	1/4 lb.	lb.
ABIES amabilis	\$.30		\$3.00
balsamea	.25	.65	2.25
cephalonica	.25	.65	2.25
cilicica	.35	.90	3.00
concolor, Colorado	.15	.40	1.50
concolor lowiana	.20	.50	1.75
firma	.15	.40	1.25
fraseri	.45	1.35	4.50
grandis	.30	.75	2.50
holophylla	.20	.50	1.60
homolepis (brachyphylla)	.20	.50	1.75
lasiocarpa	.35	.90	3.00
magnifica	.30	.75	2.50
nobilis	.40	1.00	3.50
nobilis, from trees in cultivation	.50	1.35	4.50
nordmanniana, Caucasus seed	.20	.50	1.50
nordmanniana, seed from Northern Europe	.40	1.00	3.50
pectinata	.15	.30	1.00
pinsapo	.20	.50	1.75
pinsapo glauca	.40	1.30	4.00
sibirica	.40	1.30	4.00
veitchi	.20	.50	1.75
webbiana, Himalayan Silver Fir	.50	1.65	5.00
BIOTA, see Thuja			
CEDRUS, Winter and Spring delivery only	20	***	2.50
atlantica	.30	.75 1.00	3.50
atlantica argentea (glauca)	.40		2.00
deodara	.25	.55 .75	2.50
libani	.30	.13	2.50
CEPHALOTAXUS drupacea	.20	.60	2.00
fortunei	.15	.20	.50
harringtonia	.15	.45	1.60
	.20	.60	2.00
CHAMAECYPARIS lawsoniana.	.25	.75	2.50
lawsoniana, seed from Scandinavia, a hardy strain	.35	.90	3.25
lawsoniana aurealawsoniana aurea	.35	.90	3.25
lawsoniana pendula glauca	.45	1.50	0.20
lawsoniana pyramidalis	.30	.80	2.75
nootkatensis	.70	1.95	6.00
obtusa	.15	.25	.80
pisifera (retinispora)	.15	.30	1.00
thyoides	.45	1.35	4.50
		0=	1 07
CRYPTOMERIA japonica, seed from Japan	.15	.35	1.25
japonica sinensis, from China	.30	.75	2.50 4.25
japonica elegans	.50	1.25	2.25
japonica lobbi	.25	.03	2.20
CUNNINGHAMIA lanceolata	.30	.80	2.50
	0.7		
CUPRESSUS arizonica	.25	.70	2.35
funebris	.30	.85	2.80
goveniana	.40	1.10	3.75
lusitanica	.30	.80 1.15	3.00
macraelan, clean	.45	.70	2.35
macrocarpa, seed from garden specimens	.50	1.75	2.33
sempervirens horizontalis	.50	.25	.75
sempervirens pyramidalis (stricta)		.25	.80
torulosa	.20	.60	2.00
LOI WIUSG	.20		2.00

GINKGO biloba, domestic	oz.	½ lb.	lb. .50
JUNIPERUS chinensis, clean, from Japan	.25	.60	2.25
chinensis, clean, from Northern China	.30	.70	2.50
chinensis pyramidalis, clean	.30	.80	2.75
chinensis sargenti, clean	.50	1.35	4.50
communis, imported, clean	.15	.35	1.25
New England berries	.15	.35	1.15
communis canadensis	.15	.40	1.50
communis depressa (prostrata)	.15	.40	1.45
communis montana (siberica) seed from Montana	.15	.40	1.45
communis pyramidalis, clean	.30	.70	2.50
horizontalis, a fine hardy Juniper from Montana	.25	.60	2.00
japonica	.50	1.25	4.50
monosperma	.20	.40	1.50
procumbens, clean	.30	.70	2.50
sabina	.20	.50	1.75
scopulorum, seed from Colorado	.15	.35	1.35
seed from Montana or Dakota	.20	.50	1.75
scopulorum, columnar type, a natural form found in isolated stands in			
Montana	.20	.55	2.00
scopulorum, spreading type, a hardy prostrate form from Montana	.15	.40	1.25
scopulorum, seed from selected trees, blue or bright green	.20	.50	1.75
virginiana, seed from New England	.25	.55	2.00
seed from Tennessee	.15	.25	.80
seed from Nebraska, Platte River type	.15	.25	.80
seed from Nursery specimens, clean	.25	.65	2.25
virginiana glauca (argentea) New England berries	.20	.50	2.50
LARIX, Winter delivery.			
dahuricadahurica	.35	.85	2.85
europaea, 1000-2000 ft	.20	.50	2.00
europaea, large grained seed from Western High Alps, 5000-6000 ft	.30	.90	3.00
europaea, seed from Scotland, this strain not being affected by the leaf-			
shedding disease seems to be the best	.55	1.85	5.50
europaea sudetica (polonica) 2000-3000 ft	.30	.75	2.50
leptolepis	.60	2.00	6.00
occidentalis	.40	1.10	3.75
potanini, Chinese Larch, a graceful tree to 90 ft. with long pendulous			
branches, 20 pkt. 40½ oz	1.25		
sibirica	.50	1.25	4.50
LIBOCEDRUS decurrens	.20	.50	1.75
PICEA ajanensis, see jezoensis			
canadensis (alba-glauca)—One pound of WHITE SPRUCE seed sown			
broadcast will plant about 25 yds. of 4 ft. wide bed.	A 0=	A FO	A1 77
seed from planted stands	-	\$.50	
seed from Northern New England	.40		3.50
canadensis albertiana, Black Hills Spruce	.45	1.20	4.00 3.00
engelmanni	.30	.50	3.00
EXCELSA—One pound of NORWAY SPRUCE seed sown broadcast will			
plant about 15 yds. of 4 ft. wide bed			
1. Seed from the Alps		.30	.90
2. Seed from Carpathian Mountains		.35	1.25
3. Seed from Boehmerwald (Bohemian Forest)		.45	1.50
4. Seed from Harz Mountains		.45	1.50
No. 3 and 4 are two rugged strains superior in many ways to ordi-			
nary seed, preferred by European Forester and Nurserymen			
5. Seed from Northern Europe. A lowland strain exceeding in size and			
wood production the mountain strains. Seed will produce a superior			
plant material of dark green color as preferred in landscape work and			
for use as Christmas trees. Seed is excellently cleaned and of highest	0.7	70	2.25
germination	.25	.70	2.25

		1/ 11.	11.
EXCELSA (continued)	oz.	1/4 lb.	i lb.
6. Seed from France, Vosges Mountains and Black Forest, Germany.			
The fastest growing strain		.45	1.50
7. Seed from Finland. (P. excelsa borealis) the hardiest strain, valuable in landscaping because of its slow growth. Prices for plants of			
these upon request	.30	.80	2.75
glehni	.50	1.50	
jezoensis	.40	1.00	3.50
jezoensis hondoensis	.30	.90	3.00
mariana (nigra) morinda	.60 1.25	1.80	6.00
obovata	.45	1.25	4.25
omorika801/4 oz.	2.50	8.00	30.00
orientalis, seed from planted trees in Northern Europe	1.00	2.85	9.00
politapungens	.35 .35	.85	3.00 3.25
pungens glauca, Colorado Blue Spruce, from blue stands	.40	1.10	3.75
hand picked from blue trees	.75	1.85	6.50
rubra	.40	1.00	3.50
sitchensis	.45	1.25	4.00
sitchensis from Alaska	.50 .75	1.35 2.00	4.50
wilder, willows opiaco, managomo ominoso opiaco, to to to			
PINUS albicaulis	.50	1.45	4.85
aristata	.25	.70	2.25
armandi, Chinese White Pine, surpassing Pinus excelsa in beauty and			
hardiness	.35	1.00	3.50
attenuatabanksiana	.55 .35	1.50	5.35 2.75
bungeana, Lacebark Pine, a holy tree of the Chinese planted in temple			2
grounds, bark becomes chalky white on old trees	.30	.90	3.00
canariensis	.20	.50	1.75
caribaeacembra	.20 .15	.50	1.75 .85
cembra sibirica	.20	.40	1.50
contorta	.55	1.65	5.00
contorta latifolia, see murrayana	-		
coulteridensifloradensiflora	.30 .15	.90	2.50 1.00
echinata	.45	1.40	4.75
edulis	.15	.30	1.00
excelsa	.20	.40	1.50
flexilis	.30	.75	2.50 1.35
halepensisjeffreyi	.30	.90	2.50
koraiensis	.10	.20	.55
koraiensis Northernmost form from interior Manchuria, much hardier			
than the usual strain from Korea	.35	1.00	3.50 1.75
lambertianaleucodermis	1.25	.50	1.75
maritima, see pinaster			
massoniana, Chinese Red Pine	.20	.60	2.00
montana gallica	.40	1.15	3.85
montana mughusmontana mughus, selected dwarf	.20	.80	2.85
montana mughus compacta	.35	.85	3.25
montana pumilio	.30	.80	2.75
montana uncinata	.30	.60	2.50
monticola	.45 .50	1.00 1.40	4.35 4.75
inuifayana (laununa)	.50	1.40	1113

	07	1/4 lb.	lb.
NIGRA (austriaca) seed from Austria.—One pound of AUSTRIAN PINE seed	02.	/4 110.	11.5
sown broadcast will plant about 16 yds. of 4 ft. wide bed	.15	.40	1.25
nigra, seed from Southern Scandinavia	.35	.90	2.50
nigra calabarica	.60	1.50	5.00
nigra caramanica (pallasiana)	.35	.80	3.00
nigra poiretiana (laricio) Corsican Pine			
seed from planted stands	.35	.90	2.50
seed from Corsica hill districts	.45	1.25	4.00
seed from Corsica 4500-5000 ft.	.50	1.40	4.50
palustris	.15	.50	1.50
parryana, hardy dwarf Pine, fine for specimens	.50	1.50	5.00
parviflora (pentaphylla)	.15	.40	1.25
patula	.80	3.00	1.20
peuce	.30	.90	2.50
pinaster (maritima) from inland forests.	.30	.25	.75
	.20	.45	1.50
French seed collected from seashore plants only	.25	.60	2.00
Corsican seed from high elevation 4500 feet	.15	.25	.85
pinea			
ponderosa, seed from Pacific Coast	.15	.65	2.25
ponderosa (scopulorum) seed from Colorado or Dakota	.15		1.50
pumila	.40		3.50
radiata (insignis)	.25	.65	2.10
resinosa85.3 - 2 - 4 - 14 - 14 - 6 - 50 - 16 -		1.75	
rigida, New England	-40		4.00
sabiniana	.15	.35	1.25
sinensis (tabulaeformis), Chinese Pine, attention has turned lately to this beautiful and extremely hardy Pine. A notable ornamental according to			
the late E. H. Wilson	.75	.70	2.50

A FRIENDLY REQUEST

Please save this list and order from it until you receive a new copy. We do not know yet when we will be able to make our next extensive list. Most of our time is given to collecting, preparing, conditioning and testing of our seeds, and besides the shipping there is not much time left for anything else. Write us when you find our list deficient, we may be able to serve you anyhow. THANK YOU.

STROBUS—One pound of WHITE PINE seed sown broadcast will plant about			
10 yds. of 4 ft. wide bed.	.20	.60	2.00
seed from Lake States or Canada			
seed from planted stands	.20	.50	1.75
sylvestris—One pound of SCOTCH PINE seed sown broadcast will plant about 18 yds. of 4 ft. wide bed.			
seed from Central Europe			
A—Mountain seed	.15	.40	1.25
B—Lowland seed	.15	.40	1.25
from Czechoslovakia, a fine strain of clear bole timber	.20	.55	2.00
from Northwestern Europe, Belgium	.15	.50	1.50
	• • • • • • • • • • • • • • • • • • • •	.00	1.50
STRAIGHT TIMBER STRAIN, seed from Northeastern Germany,			
the best seed available for average United States conditions	.35	.90	3.50
seed from Finland, the hardiest strain	.45	1.50	4.50
seed from Scotland, the Scots Highland Fir, a rugged mountain strain.	.60	1.75	6.00
tabulaeformis, see sinensis			
taeda	.25	.60	2.10
thunbergi	.15	.30	1.00
torreyana	.60	1.50	5.00
PSEUDOLARIX kaempferi	.40	1.35	4.00
PSEUDOTSUGA douglasi (taxifolia) caesia	.65	1.65	6.00
douglasi (taxifolia) glauca	.50	1.50	4.50
douglasi (taxifolia) vividia			
douglasi (taxifolia) viridis	.50	1.50	4.50

	07.	1/. lb	. lb.
SCIADOPITYS verticillata		.60	2.00
SEQUOIA gigantea		1.75	6.00
sempervirens, domestic seed only		.90	3.25
TAXODIUM distychum		.40	1.50
TAXUS baccata	25	.50	1.75
baccata adpressa		.80	3.00
baccata fastigiata (pyramidalis)		.95	3.50
cuspidata capitata		.30	1.00
cuspidata, seed from a fine domestic strain, with dark green feathery foliag	e .25	.60	2.00
media hicksi		1.00	4 40
THUJA (Biota) orientalis, domestic seed		.40	1.50
THUJA occidentalis		.85 1.00	2.75 3.50
occidentalis wareana		2.25	7.50
THUJA (Biota) orientalis,, domestic seed		.40	1.50
imported seed		.35	1.25
orientalis aurea		.70	2.35
orientalis aurea nana		.75	2.50
orientalis compacta (sieboldi)orientalis conspicua		.60 .75	2.00 2.50
orientalis pyramidalis		.75	2.50
plicata (gigantea-lobbi)	45	1.25	4.25
TSUGA canadensis, New England seed	65	1.80	6.00
caroliniana		1.65	5.50
chinensis		.80	3.00
heterophylla		1.75	6.50
mertensiana	85	2.50	8.50
sieboldi	35	.80	3.00
II			
PLANTS FOR GAME COVER AND FORAGE			
LUPINUS polyphyllus, Blue Perennial Lupin\$60.00 per 100 lb			1.00
THERMOPSIS caroliniana, Yellow Carolina Lupin, to 5 feet tall	. 1.50	4.50	
III			
DECIDUOUS TREES AND SHRUBS			
pkt. ½ oz. ¼ o			
ACANTHOPANAX ricinifolium	· ·	\$.45	*
ACER campestre	.15	.25	.85
dasycarpum (New England seed, large quantities in crop years)	.15	.25	.65
ginnala	.15	.35	1.25
Hersi			
macrophyllum, fine Western Maple	20	.40	1.25
monspessulanumnegundo	.15	.45	1.75 1.00
negundo californicum	.15	.35	1.25
nikoense, fine Japanese Maple, with brilliant fall coloring	.40	.85	3.00
palmatum	.15	.35	1.25 1.50
pennsylvanicumplatanoides, here collected	.15	.45	.50
pseudo-platanus	.15	.25	.55
pseudo-platanus purpurascens	.15	.25	.90
saccharum	.15	.35	1.25
tataricum	.25	.90	2.50

	nkt.	1/2 07	1/4 oz.	07.	1/4 lb.	lЬ.
ACTINIDIA	phe	/16 02.	/4 02.		1.10	4.00
ACTINIDIA arguta	£ 35			1.35	1.10	4.00
lanceolata	.35			1.35		
polygama	.35			1.35		
AESCULUS carnea (A. hippocastanum rubicunda)	100			1.00	.15	.35
glabraglabra					.15	.30
hippocastanum						.15
octandra						.35
				.15	.25	.75
AILANTHUS glandulosavilmoriana			\$.15	.35	1.00	.75
			4 .13	.00	1.00	
AKEBIA lobata, a fine climber with large foliage and inter-				25	70	2 50
esting fruiting habit				.25	.70 .55	2.50 1.80
quinata						
ALBIZZIA julibrissin				.15	.30	1.00
julibrissin, rose flowered, the best garden form, hardy around Boston				.30	.70	2.50
ALEURITES fordi, quantity prices upon request				.15	.40	1.25
				.13	.40	1.23
ALNIPHYLLUM fortunei (Halesia fortunei) the handsome Chinese Silver-bell	.20)	.30	00		
	.20	,	.30	.90		
ALNUS glutinosa				.15	.30	1.00
incana			25	.15	.35	1.10
rubra (oregana)rugosa, native Alder, useful ornamental and cover shrub			.25	.75	2.25	
on wet ground				.20	.65	2.00
viridis				.15	.40	1.25
ALYSSUM rostratum, hardy compact sub-shrub, with				• • • • • • • • • • • • • • • • • • • •		1.20
yellow flowers, fine for large rockeries	.20				•	
				0.5	70	0.50
AMELANCHIER alnifolia	.15			.25	.70	2.50
canadensis			.25	.85	.60 2.35	9.00
laevis			-23	.25	.70	2.50
oblongifolia, handsome Amelanchier, fast growing with					•••	
large leaves, profusely blooming and fruiting, bearing						
enormous crops of juicy berries, good to eat and useful						
for preserves				.35	1.00	3.50
ovalis (spicata) (oblongifolia x stolonifera), a non-stolon-						
iferous shrub to six feet, bearing heavy crops of sweet						
fruit of same flavor as oblongifolia				.35	1.20	3.50
stolonifera				.25	.75	2.50
stolonifera, collected from an extremely dwarf strain				.30	1.25	
AMORPHA canescens				.25	.65	2.10
fruticosa				.15	.25 .55	.85 2.00
microphylla (nana)				.25	.55	2.00
AMPELOPSIS aconitifolia 100 seeds .35; 1000 seeds 2.00						
brevipedunculata			.15	-45		
henryana				.35	.90	3.00
heterophylla (amurensis)	0.4			.30	.70	2.50
laetevirens	.35					
megalophylla, Large Leaf Ampelopsis100 seeds .35 1000 seeds 1.25						
quinquefolia, domestic berries					.30	.85
imported clean				.15	.40	1.25
tricuspidata, clean				.15	.40	1.50
					95	
AMYGDALUS (PRUNUS) communis					.25 .40	.65 1.50
communis fragilisdavidiana, Chinese Wild Peach				.15	.35	1.20
persica, Peach Pits, small naturals3.75 bushel				•10	.00	.50
ANDROMEDA polifolia	.50					

		17	1/		1/ 11	11
	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
ARALIA chinensis, Chinese Anglica tree				.25	.60	2.00
hispida, Bristly Sarsaparilla, clean seed				.35	.85	3.00
spinosa				.15	.35	1.25
ARBUTUS menziesii				.30	.50	1.65
unedo				.25	.60	2.00
ARCTOSTAPHYLOS columbiana			.25	.65		
glauca				.25	-60	2.00
pungens			.25	.85		
tomentosa				.25	.60	2.00
uva-ursi, New England seed				.20	.55	1.85
ARCTOUS alpina	.25					
erythrocarpa (ruber)	.75					
ARDISIA crenulata, Coral Ardisia				.20	.55	1.60
japonica, Creeping Ardisia				.30	1.00	
			20			2 50
ARISTOLOCHIA sipho, true large-leaved Aristolochia			.20	.40	1.00	3.50
tomentosa			.15	.30	.50	1.50
ARONIA arbutifolia				.15	.30	1.00
melanocarpa				.15	.30	1.00
ASIMINA triloba				.15	.30	1.10
ATRIPLEX halimus				.20	.45	1.50
AZALEA albrechti	.75					
altaclarensis, valuable form of pontica with deep yellow						
fragrant flowers, hardy in New England	.20	.75	2.00			
amoena	.20	.40	1.20			
arborescens		.20	.50	1.75		
atlantica	.25	.50				
calendulacea	•	-20	.50	1.75		
canescens		.20	.60	2.00		
dahurica	.15	.30	-85	3.00		
dilatata	.15	.30	.85	3.00		
gandavensis (hybrids of pontica)	.20	.40	1.20	3.00		
hinodigiri	.20	.40	1.25	3.75		
indica, from fine collection		.75	1.85	3.73		
indica macrantha	.20	.35	.85	3.00		
indica macrantha hybrida	.25	.50	1.50	3.00		
japonica, with flowers of salmon, red and yellow shades	.23	.20	.60	2.00		
		.30	.50	1.50		
kaempferi, imported		.30	.50	1.50		
kaempferi, domestic seed, collected from fine New Eng-	40	1 00	2.00			
land specimens, a hardy strain	.40	1.00	3.00			
kaempferi hybrida (a Hybrid race of great hardiness						
and beauty developed by interbreeding three species:						
kaempferi, malvatica and hinodigiri. Plants of these						
hybrids have proved to be hardy in Canada). Seed	40	4.00	2.00			
from general collection	.40	1.00	3.00			
Seed saved from plants with brick-red flowers	.50	1.20	3.50	0 50		
ledifolia, mixed	.15	.30	.70	2.50		
ledifolia noordtiana (japonica alba grdfl.) a splendid				0.0-		
white form	.20	.35	1.00	3.00		
ledifolia purpurea		.35	1.00	3.00		
ledifolia rubra magnifica, a new hybrid of great merit	.50					
linearifolia macrosepala purpurea	.15	.35	1.00	3.00		
mollis, American seed, from New England choice collec-						
tions	.20	.35	1.00	3.00		
mollis, from European garden varieties		.75	2.00	6.00		
mollis, seed from Japan, garden varieties		.15	.30	1.00	2.25	7.00
mollis (sinensis) Wild Chinese Yellow Azalea	.15	.25	.65	2.25		
mollis, Kersbergen Strain, a fine strain of Azalea Mollis						
1000 seeds 1.00						
mollis x japonica (mollis x sinensis)	.75					
mollis x japonica (mollis x sinensis) Kersbergen Strain,						
the finest strain available, seed collected from choice						
named Hybrids1000 seeds 2.00						

AZALEA, named Hybrids, all are .35 pkt.; .75 trade pkt, 1000 seeds \$1.00

Japonica x mollis (mollis x sinensis) Hybrids
Comte de Kerckhove, orange-red
Comtesse de Kerckhove
Duc of Krugten
Hugo Hardijzer, red
J. C. Van Tol, claret color
Lang Smith
Oosthoeck's Brilliant Red, finest brilliant
orange- scarlet
Mme. Arthur de Warelles, pale salmon,
flushed orange
Queen Sophia, rose shaded orange

Ghent or Pontica Hybrids
Alba Odorata, pure white, sweet scented
Bouquet de Flore, salmon rose
Coccinea Speciosa, orange red
Diamont, soft rose, brown blotch
Duc d'Orleans
General Trauff, violet
Ghent Rose, rose color
Grandeur Triumphante, violet red
Flameola incarnata, fine rose
Ignea nova, carmine
Julius Caesar
Remarquable
Roi de Feu, fiery red
William III, orange

We test all Azalea seeds received by us.

	pkt.	1/16 oz.	1/4 oz.	oz.	/ ₄ lb.	lb.
mucronulata	.15	.35	.60	2.00		
nudiflora	.15	.37	1.00			
obtusa kurume	.25	.60	1.75	6.00		
occidentalis		.30	.70	2.50		
pontica		.25	.65	2.25		
pontica hybrida (gandavensis) from fine European						
collection	.25	.65	2.00	6.00		
poukhanensis, imported	.20	.35	1.00	3.00		
poukhanensis, from selected garden specimens	.35	.75				
procumbens (Loiseleuria pr.)	.85					
rosea	.35	.70	2.00			
simsi, from China, parent species of Indica Azaleas	.25	.75				
sinensis, see mollis		•••				
schlippenbachi		.25	.55	1.75		
vaseyi		.25	.65	2.00		
viscosa		.15	.30	1.00		
BACCHARIS halimifolia		• • • •	.00	.25	.65	2.00
BENZOIN aestivale				.15	.25	-85
BERBERIS amurensis			.20	.50	1.50	
candidula	.35					
dictophylla100 seeds .60—1000 seeds 3.60						
juliana100 seeds 1.251000 seeds 6.00						
koreana			.15	.40	1.00	3.50
pruinosa100 seeds .50—1000 seeds 3.25						
rubrostilla		.25	.75	2.00		
sinensis	.15		.20	.50	1.50	
subcauliata100 seeds .25—1000 seeds 1.25						
thunbergi, New England seed. We are prepared to fur-						
nish large quantities, our clean seed runs about 37,200						
seed to a pound						
fresh berries, fall delivery					.30	.85
dry berries					.50	1.50
fresh berries, broken up prepared for fall planting					.30	.95
clean seed				.25	.75	2.50
thunbergi atropurpurea, Purple Leaf Barberry				.75	2.00	6.00
thunbergi minor, Box-Barberry50 seeds .35						
verruculosa		.30	1.00			
verruculosa hybrida	.35	.75	2.15	6.50		
wilsonae, an excellent grade of clean seed	.15		.35	1.25		
NEW CHINESE HYBRIDS, interesting Hybrids of						
various species	.20		.50	1.50		
4.0						

	pkt.	1/6 OZ.	1/4 oz.	oz.	1/4 lb.	lb.
BETULA alaskana	.75	710	74 020	-	74	
alba (verrucosa) European Silver Birch				.15	.30	.85
alba (verrucosa) seed from Sweden				.15 .20	.40 .55	1.50 1.75
japonica			.20	40	1.25	K. 13
lenta			0	.25	.75	2.50
lutea				.25	.75	2.50
nigra odorata (pubescens) European White Birch, hardier than				.25	.75	2.50
alba, will grow on peat and bog land				.15	.40	1.50
papyrifera	•			.20 .15	.55	1.75 1.50
populifolia	.15		.25	.65	2.00	1.50
BIGNONIA grandifloraradicans	.13		.23	.20	.50	1.60
BROUSSONETIA papyrifera				.40	1.20	4.00
BRUCKENTHALIA spiculifolia	.35					
BUDDLEIA davidi (variabilis)	\$.15		\$.20	\$.50	\$1.50	
magnifica, flowers of violet rose	.15		.30	.70	2.50	
rose and yellow eye choice domestic seed	.15	.20	.35	1.00	3.00	
nivea yunnanensis, most conspicuous with silvery	.50					
foliage, hardy around Bostonveitchiana, brilliant mauve with orange center	.50	.15	.30	.80	2.75	
japonica (curviflora) sky blue flowers		.20		1.00	3.00	
BUXUS japonica				.30	1.00	3.00
microphylla koreana				.25	.65	2.25
microphylla sinica, Chinese hardy Box			.20	.60 .25	1.75 .65	2.10
sempervirens						
CALLICARPA americana			.25	.15 .50	.35 1.50	1.25
giraldiana, Chinagiraldiana subincanescens, China			.25	.50	1.50	
purpurea (dichotoma) domestic seed	.15		0	.30	.90	3.00
CALLISTEMON rigidus	.20		.55	1.50		
speciosus	.20		.55	1.50		
CALLUNA vulgaris, capsules				.20	.30	1.75
cleanvulgaris alba	.30		.25	.75	2.25	6.50
CALYCANTHUS floridus				.15	.35	1.25
praecox, see Meratia				.13	.55	1.25
CAMELLIA japonica, single flowered				.15	.35	1.00
double flowered, from choice collection				.35	.85	3.00
reticulata				.35	.85	3.00
sasanqua, seed from fine collection, shades of white, rose, red, double and single				.15	.35	1.00
CARAGANA arborescens				.15	.45	1.50
CARPENTERIA californica		.35	.95	3.00		
				.15	.25	.75
CARPINUS betuluscaroliniana				.15	.35	1.00
CARYA, see Hicoria						
CARYOPTERIS incana (mastacapthus) beautiful autumn						
flowering shrub with blue flowers	.15		.35	1.00		
white flowered	.15		.35	1.00		
pink flowered	.25		.65			
CASSIA marilandica	.15		.25	.75		

	1-+	1/16 oz.	1/		1/. 11.	lb.
	рк.	716 OZ.	74 OZ.	oz.		
CASTANEA dentata					.25	.50
henryi, Dr. Henry's Chestnut, hardy blight-resistant						
from China					.35	1.00
japonica (crenata)					.25	.55
mollissima Liang-Shiang, Northern Chinese form with						
small nuts of good eating quality					.25	.75
mollissima Mammoth, large fruited Chinese Chestnut					.25	.75
pumila, a delightful miniature Chestnut of shrubby						
proportions, should be in every garden for its inter-						
esting fruiting habit and the edible nuts, our seed is						
properly stored				.20	.50	1.50
sativa					.15	.50
seguini, Chinese Chinquapin				.15	.30	1.00
CASTANOPSIS caudata, Evergreen Chestnut				.20	.50	1.50
schlerophylla, with large leathery leaves silvery white						
beneath				.20	.50	1.50
CATALPA bignonioides					.25	.75
bungei	.20			.55	1.75	
speciosa					.25	.65
CEANOTHUS americana				.15	.25	.75
arboreus	.25		.40	1.25		
arboreus hybridus	.25		.40	1.25		
azureus Gloire de Versailles	.15		.45	1.40		
cyaneus	.35					
jepsoni	.20		.45	1.50		
parryi, brilliant blue flowers	.35					
sanguineus	.45					
spinosus	•40		.40	1.25		
thyrsiflorus	.15		.25	.80		
velutinus	.45		•==	.00	2.00	
CEDRELA sinensis.	.20			.50	1.50	5.00
CELASTRUS orbiculatus (articulatus), berries	.20			.15		1.00
clean				.20		1.50
scandens, berries				.15		1.00
clean				.20		2.00
CELTIS australis				•==	.45	1.25
occidentalis				.20		1.75
CEPHALANTHUS occidentalis.				.20	.20	.55
CERCIDIPHYLLUM japonicum			.20	.40		3.75
CERCIS canadensis			•20	.15		1.25
canadensis alba, white flowered Red Bud	.25			• 10	•00	1.20
chinensis	•20		.15	.30	.70	2.50
silaquastrum			•13	.50	.25	.75
silaquastrum album, white				.20		2.00
CHAMAEDAPHNE calyculata nana	.35			•20	•00	2.00
CHIONANTHUS virginica, clean	•00			.20	.40	1.50
CINNAMOMUM camphora				.20		1.50
CISTUS laurifolius.	.20		.35	1.00		1.50
CITRUS trifoliata	.20			.15		1.25
CLEMATIS alpina	.15	.25	.50	1.50		1.25
armandi	2.10	.23	•30	1.50		
columbiana	.45					
coccinea	.15	.25	.70	2.25		
coccinea hybrida	.35	.23	•70	2.20		
	.55					
coreana (Atragene coreana), yellow flowering Clematis	.15	.30	.85			
of easiest culture, hardy everywhere	.15	.30	.35	1.00		
crispaflammula	.15		.55	.20		2.00
florida, large flowered garden varieties	.25		.75	2.50		2.00
	.23		.73	2.00		
heracleifolia (davidiana) blue tube shaped flowers,	.15		.25	.40	1.25	
fragrant	.15	.30	.85	3.00		
integrifolia	•13	.30	.03	3.00		

	nkt.	1/16 oz.	1/4 07.	0%	1/4 lb.	lb.
CLEMATIS (continued)	Prince	710 021	/4 021		/4 200	120
jackmani (floribunda or grandiflora) Hybrid Clematis,						
from large flowered Garden varieties	.15	.25	.70	2.50		
jackmani double flowered	.20	.35	1.00	3.00		
ligusticifolia	.45					
macropetala, fine new large flowered Clematis, with	20					
flowers of violet-blue	.30	20	50	1.50		
montana grandillora	.15	.20	.50 .50	1.50		
montana wilsoni	.15	.20	.50	1.50		
orientalis (graveolens)	.15	.20	.50	1.00		
paniculata	.15			.20	.60	2.00
recta			.15	.50	1.75	
recta mandshurica	.15	.25	.75	2.50)	
tangutica, with yellow flowers, fine new Clematis	.15		.25	.75	2.00	6.00
texensis, see coccinea						
troutbeckiana	.35					
veitchiana, yellow fragrant flowers		.20	.50	0=		0.50
virginiana				.25		2.50
vitalba				.15		.75 1.75
viticella				.20	.50	1.75
CLERODENDRON cyrtophyllum, Mayflowering Glory-						
bower from China				.25	.60	2.00
trichotomum, Glorybower, attractive in foliage, with						
fragrant flowers and blue fruits, clean				.15	.40	1.25
CLETHRA alnifolia				.15	.35	1.25
barbinervis	.15	.25	.60	2.00		2.20
fargesi, finest of the genus, a large shrub, hardy here	.15	.20	.35	1.00		
tomentosa, Wolly Clethra, fine hardy shrub excelling						
alnifolia in its more vigorous upright habit	.15		.20	.35	1.00	
COCCULUS carolinus				.20	.50	1.50
				•20	.50	1.50
COLUTEA arborescens				.15	.30	.85
CORNUS alba, clean				.30	.75	2.50
amomum				.15		1.00
controversa, Chinese Pagoda Dogwood, clean				.15		1.30
florida, Northern seed, dry berries				.15	.20	.60
Northern seed, clean				.20	.40	1.25
florida, seed collected from red-flowered plants			.20	.50	1.50	
kousa, Japanese Flowering Dogwood, clean				.15	.40	1.25
kousa chinensis, the hardier and more beautiful Chinese						
form, clean	-20			.35		3.50
mas				.15	_	.75
nuttalli				.20		1.35
paniculata				.20 .15		1.25
sanguinea, cleanstolonifera				.20		1.50
stoionnera				.20	.40	1.30
CORONILLA emurus, fine, flowering shrub with akazia like						
foliage	.15		.25	.30		3.00
glauca	.20			.45	1.30	4.50
CODVI ODSIS platunatala	.20		.25	.65	2.00	
CORYLOPSIS platypetala	-20		.20	.50		5.00
sinensis, handsome Chinese shrubveitchiana.	.25		.30	.70		3.00
	•20		.30	.70		
CORYLUS americana					.25	-70
avellana				.15	.25	.65
avellana atropurpurea						
100 nuts 1.25—1000 nuts 7.50				15	20	1 00
colurna, Tree Hazel, a fine shade tree				.15	.30	1.00
maxima				.10	.50	1.00

	nkt	1/6 oz. 1/4 oz.	07	1/4 116	lb.
COTONE A STED	PAC.				110.
COTONEASTER acuminata		.15	.45 .15		1.50
acutifolia, berriesclean		.25	.55		5.50
adpressa	.20	.25	.60		6.00
adpressa praecox	.20	.25	.60		0.00
ambigua	.25	.45	.30		
apiculata	.25	.80	2.00		
bullata berries	.23	.15	.50		
buxifolia, clean		.15	.40		
congesta, see microphylla glacialis		-10	• • • •	1.00	
dammeri	.25				
decora. Necklace Cotoneaster, new fine evergreen,	•==				
prostrate species with foliage like Lonicera nitida,					
red berries strung along branches like beads in a					
necklace	.20	.25	.60	,	
dielsiana (applanata)		.20	.50		
dielsiana major, preferable to type		.20	.50		
divaricata, berries	.15		.25		2.50
clean			.45		4.50
foveolata		.20	.50		
francheti			.30	.80	2.75
frigida	.15	.20	.50	1.75	
harroviana, evergreen	.15		.45	1.30	4.50
hebephylla	.25	.35	1.00		
horizontalis, berries			.40	1.00	3.50
clean		.20	.45	1.25	4.25
horizontalis wilsoni, see wilsoni					
integerrima		.20	.40	1.25	
microphylla, clean		.20	.50	1.50	5.00
microphylla glacialis (congesta)	.45				
moupinensis, clean		.15	.40	1.00	3.50
multiflora		.15	.45	1.20	4.00
nitens	.15	.25	.60	2.00	6.00
pannosa		.15	.45	1.00	3.50
parneyi, close to harroviana, a fine new evergreen					
Cotoneaster of upright arching habit, fine foliage and					
profuse fruiting	.15		.45	1.30	4.50
praecox, see adpressa					
racemiflora soongarica		.20			6.00
salicifolia		.25	.50		4.50
simonsi			.35	.80	3.00
tomentosa, clean	.25				
wilsoni, a fine spreading Cotoneaster, close to horizontalis	.15	.25			6.50
zabeli		.15 .35	1.00)	
CRATAEGUS, during fall all domestic Crataegus can be					
furnished in fresh fruit at a fraction of prices for fall					
delivery ·					
aprica				.15	.45
arnoldiana				.15	.45
carrieri (lavallei)				.45	1.25
clean			.50	1.65	5.00
coccinea, clean			.20	50	1.50
coccinoides				.15	.40
cordata			-15	5 25	75
crusgalli				.15	.40
clean			.20	.50	1.50
macrantha, with large thorns				.20	.35
mollis				.15	.45
nitida				.25	.75
oxyacantha, English Hawthorn, true, two stone variety				.45	1.25
oxyacantha monogyna, English Hawthorn, one stone					
variety, clean				.25	.75

		17	1/ .		1/ 11	**
	pkt.	16 OZ.	1/4 oz.	OZ.	1/4 16.	lb.
CRATAEGUS (continued)						
oxyacantha monogyna, fresh domestic berries in						
season					.20	.50
persistens, with justrous follage and conspicuous orange-					.20	•30
scarlet fruit well lasting into late fall				.20	.40	1.25
pinnatifida, clean				.15	.50	1.50
pinnatifida major, clean, large edible fruits				.25	.75	2.50
prunifolia, rivaling crusgalli as an ornamental, bearing						
clusters of red fruit in great profusion					.15	.40
punctata					.15	.35
punctata aurea					.25	.75
rotundifolia	·				.15	.45
submollis					.15	.45
succulenta					.20	.50
tomentosa					.20	.50
CYDONIA japonica, imported				.30	.80	2.75
seed from Garden specimens of the tall flowering Quince				.50	.00	2.73
of Colonial Gardens	.15		.25	.75		
maulei (japonica pygmaea) Dwarf Quince				.20	.40	1.60
vedrariensis (japonica x maulei)	.15		.25	.75		
• • • • • • • • • • • • • • • • • • • •						
CYTISUS albus, see multiflorus						
alpinus, see Laburnum						
	25					
ardoni, prostrate fine rock plant, deep yellow	.35					
austriacus	.35					
battandieri, fine vigorous species with silvery foliage						
and laburnum-like flowers	.30		.60			
capitatus, see supinus						
carlieri, fine new species of compact habit, yellow	.30					
dallimorei	√30					
elongatus, to 3 feet, yellow flowers with brown marks	.50					
glabrescens, compact shrub, bright yellow flowers	.25		.50	1.50		
hirsutus (triflorus) to 2 feet early flowering, clusters of						
buff flowers, very handsome Rock Garden shrub	.25		.60	1.80		
monspessulanus (candicans) Spike Broom, graceful						
semi-evergreen shrub up to 10 feet	.15		50	1 25		
	•13		.50	1.35		
multiflorus, White Spanish Broom, to 5 and 8 feet,						
beautiful shrub	.15			.35	1.00	3.50
multiflorus, White Gem, more compact, an improve-						
ment on preceding			.40	1.25		
nigricans, late flowering to 4 feet of graceful habit	.15		.25	.70	2.15	6.50
praecox, fine, early, cream color	.35		120	•••	2.10	0.50
praecox alba, charming white	.35					
purgans, low compact shrub, yellow flowers	.35					
purpureus, dwarf procumbent to 18 inches, purple						
flowers	.25		-85	2.50		
scoparius, the well-known Yellow Broom				.15	.35	1.10
scoparius, hardy strain, seed from Scandinavia			.15	.20	.40	1.50
scoparius strictus, a valuable form with stiff, erect			•10	•20	•40	1.30
branches			.15	.25	.60	2.00
scoparius, Garden Forms, charming garden plants de-						
serving widest attention, fine for the milder parts of						
the country, hardy with care in the North						
andreanus, bicolored flowers	20		.65	2.00		
andreanus Hybrids, all shades from yellow to red	.25			2.25		
Named Varieties:	•==		•••	2.20		
	25					
Butterfly, yellow and orange	.35					
Donard Seedling, garnet and yellow	.30					
Dorothy Walpole, velvety crimson	.30					
sessilifolius, fine, erect, shrub-like habit, yellow flowers	.15	.25	.40	1.25		
supinus (capitatus), extremely hardy, shrub to 3 feet,						
fine for large rock gardens	.15	.25	.50	1.50		
WITO TOT TOTAL BATTE CONT	- 20		100	2.00		

	pkt.	1/16 oz.	1/4 OZ.	oz.	1/4 lb.	lb.
DABOECIA polifolia	.50	710 021	74 040		/4	
•	.50					
DAPHNE genkwa, one of the handsomest of Daphnes with flowers of clear lilac-blue, worth any amount of care,						
seed for summer delivery	.20		.40	1.25	3.00	
laureola, clean	•20		.20	.50	1.50	
mezereum (rubrum) clean			.15	.45	1.20	4.00
DASYLIRION longifolium	.15		.20	.60		
DAVIDIA involucrata, Dove Tree						
10 seeds 1.50—100 seeds 10.00						
vilmoriana10 seeds 1.50—100 seeds 10.00						
DECAISNEA fargesi		.20	.45	1.50		
DEUTZIA crenata flore pleno			.25	.75		
gracilis			.25	.75		
laxifolia schneideriana	.25					
scabra	.15			.25		
scabra crenata	.15		25	.25 .75		
scrabra crenata, double floweredvilmorinae, fine floriferous, large-flowered Hybrid	.25	.60	1.50	./3		
•	.20	.00	1.50			
DIERVILLA, see Weigela						
DIOSPYROS lotus				.15	.20	.60
virginiana				.10	.20	.50
DISANTHUS cercidifolia, Japanese shrub close to Hama-	00		-		0.00	
melis, fine Autumn color, claret red, suffused orange	.20		.30	.60	2.00	
EDGEWORTHIA chrysantha, handsome sweet-scented	-					
shrub from China	.30			.50	1.50	
ELEAGNUS angustifolia				.15	.25	.75
argentea, native Silver-Berry, one of the hardiest native					20	
shrubs, with a silvery foliage and berries				25	.30	1.00
longipes, cleanumbellata, extremely rugged and ornamental, resistant				.35	.95	3.25
to wind and exposure	.15			.20	.60	2.00
ELSHOLTZIA stauntoni, clean	.15	.25	.50	1.50		
EMBOTHRIUM coccineum, Fire Bush, magnificent ever-	•10	.20	.50	1.50		
green shrub or small tree, equal to the finest of Rho-						
dodendrons, spring flowering, with brilliant scarlet						
flowers, for the milder part of the U.S. A. only						
100 seeds .65—1000 seeds 3.00						
ENKIANTHUS campanulatus, domestic seed	.20		.35	1.00	3.50	
campanulatus albiflorus	.25		.50	1.50		
campanulatus palabini, with red flowers	.15	.25	.50	1.50		
cernus rubens	.15	.30	.65	2.00		
chinensis	.20		.30	1.00		
perulatus	.20		.35	1.00		
ERICA carnea, Spring Heather	.15			.25	.70	2.50
cinerea	.15		.25	.75	2.00	
cinerea albalusitanica	.25					
mediterranea	.25					
scoparia	-20		.25	.75	2.00	
stricta	.25					
tetralix, Rose Bell Heather	.35					
vagans	.25					
vagans alba	.25					
vagans St. Keverne	.25					
vulgaris, see Calluna						
ERIOBOTRYA japonica	00			.15	.35	1.25
ERYTHRINA cristi-galli100 seeds .85—1000 seeds 5.50 ESCALLONIA floribunda	.20					
EUCOMMIA ulmoides, hardy Rubber tree, fine shade tree.	.25		.60	2.00		
notice, many fruites, and state fiee.	.20		•00	2.00		

	mlet	1/16 oz.	1/		1/ 11	lb.
EUONYMUS alatus	px.	718 02.	74 02			
americanus				.15	.35	1.25 1.25
atropurpureus (Wahoo)				.10	.45	1.50
bungeanus	.15			.25	.70	2.50
europaeus, clean	.15			.25	.75	2.25
grandiflorus	.20			.50	70	
latifolius, cleanoxyphylla	.15			.20	.50 1.00	1.75
radicans vegetus	.15			.30	.85	2.00
sachalinensis, conspicuous in foliage and fruit	.15			.40	1.00	3.50
sieboldiana	.15			.30	-85	2.00
yedoensis, fine ornamental Euonymus, most beautiful			00	=0	1 =0	4.77
with its heavy crops of scarlet fruit, domestic seed			.20	.50	1.50	4.75
EXOCHORDA grandiflora	.15			.20	.45	1.45
EUSCAPHIS japonica, handsome feathery foliage and bright						
colored pod-like fruits and steel-blue seeds	.15			.35	1.00	
FAGUS americana				.15	.40	1.25
sylvatica				.15	25	.75
sylvatica purpurea				.20	.55	1.65
FONTANESIA fortunei	.25					
FOTHERGILLA major	.35		.65	2.00		
monticola	.35		.65	2.00		
FRAXINUS americana					.20	.65
excelsior				.15	.25	.75
lanceolata					.20	.75
mandschurica					.40	1.25
oregona	.45				25	75
ornuspennsylvanica				.15	.25 .25	.75 .95
velutina				.15	.45	1.50
FREMONTIA californica	.30		60	2.00		
mexicana	.30		.60 .55	1.75		
•						0 #0
GARDENIA florida	.15			.30	.75	2.50
GAULTHERIA procumbens			.20	.50	1.25	4.50
shallon			.20	.45	1.20	4.25
GENISTA aetnensis			.15	.45	1.00	3.50
alba, see Cytisus multiflorus	20					
anglicacandicans, see Cytisus monspessulanus	.30					
germanica, to 2 feet, bears spines, one of the hardiest			.15	.50	1.20	
hispanica, recommended for dry banks, exposed to full						
sun, forming dense cushion-like bolsters, 2 feet high	.25					
monosperma, to 4 feet, fine species for mild climate, with			.20	.50		
white flowers pilosa, dwarf trailing, forming a little tree to 18 inches			.20	.30		
high	.30					
radiata, dense shrub to 3 feet	.15		.25	.75		
sagittalis, a low spreading plant for rock gardens	.25					
tinctoria, shrub to 2 feet, late flowering, the best known				.25	.75	2,25
and most widely planted				.23		
GINKGO biloba, domestic seed				4-	.20	60
GLEDITSIA japonica (horrida)				.15 .20	.40 .50	1.25 1.75
sinensistriacanthos				.15	.25	.85
triacanthos inermis					.30	1.00
GYMNOCLADUS dioica				.10	.20	.65

F. W. SCHUMACHER

HALESIA diptera	pkt.	1/16 oz.	1/4 oz.	oz.	½ lb.	lb. 2.50
fortunei, see Alniphyllum fortunei monticola, the finest of native Silver-bells10 seeds. 45						
HALIMODENDRON halodendron (argenteum)	.15		.30	.15	.30 2.00	.95
	.10					0.00
HAMAMELIS japonicajaponica arborea	.20		.15 .25	.30 .75	.90	3.00
japonica flavo-purpurascens	.20		.25	.75		
mollis, seed from China	.20 .20 .20		.35 .45 .25	.75 1.25 .65 .15	2.25	1.50
HEDERA helix, clean				.15	.35	1.25
HESPEROYUCCA whipplei				.45	1.20	4.00
HIBISCUS paramutabilis, from China, one of the hardiest and handsomest shrubby Hibiscus	15		.30	.85	2.55	
syriacus, all colors from double flowered plants				.15 .15	.40 .45	1.25 1.25
HICORIA (Carya), large quantities priced on request alba (tomentosa). cathayensis, Chinese Hickory. cordiformis (amara). glabra (porcina). laciniosa. ovata (alba). ovata New England seed. pallida. pecan (olivaeformis). HIPPOPHAE rhamnoides, clean.				.15	.40	.20 1.00 .25 .25 .20 .20 .35 .25 .35
HOLODISCUS discolor (Spiraea ariaefolia) handsome native	15			25	75	2 50
shrubdumosa	.15			.35	.75	2.50
HOVENIA dulcis.	.15			.20	.50	1.50
HYDRANGEA arborescens, cleanpetiolaris	.15	.15	.25	.35	1.00 1.20	3.50 4.00
HYPERICUM (fine seeds, sow in Sphagnum Moss) calycinum, evergreen ground-cover plant densiflorum, fine hardy native shrub forresti, extremely floriferous, brilliant Fall coloring kalmianum patulum grandiflorum patulum Henryi, this and the former are fine ground-	.25 .25 .25 .25 .20	.30	1.00			
cover plants with attractive foliage and large yellow flowers	.20	.30	1.00			
polyphyllum, prostrate sub-shrub, fine for rockeries prolificum, fine hardy shrub, most vigorous of the native	.25					
Hypericums	.25	.75		.35	1.00	
polycarpa vestita, the Chinese form	.20		.25	.50	1.50	

Jamaica Plain, Mass.

	pkt.	1/6 oz. 1/4 oz.	oz. 1	¼ lb.	lb.
ILEX aquifolium, domestic, French strain		20	.15	.35	1.25
imported, clean			.15	.35	1.20
cornuta, CHINESE HOLLY, clean	.15		.30	.75	2.50
crenata, imported, clean	.15		.20 .25	.40	1.50 2.25
crenata bullata (convexa) charming evergreen, perfectly			.43	.00	2.23
hardy around Boston	.20	.35			
dubia macropoda, domestic	.15		.30	.75	2.50
glabra, New England seed, a hardy strain	15		.20	.50	1.50
integralatifolia, clean	.15		.20	.40 .55	1.50 2.00
monticola	.15		.20	.40	1.50
ne motoi	.20		.75		
opaca, Northern seed, berries			.15	.35	1.00
clean			.25 .25	.60 .60	2 00 2 50
pedunculosa, cleanpedunculosa continentalis, the Chinese form, appar-			.23	.00	2 30
ently hardier than preceding			.25	.60	2.50
purpurea, from China, one of the handsomest Hollies	.15	.20	.50		
serrata (sieboldi)	.15		.20	.55	2.25
verticillata, New England seedvomitoria			.15	.35	1.00 1.50
wilsoni, Chinese form of Ilex aquifolium		.15	.35	1.00	2.00
ILLICIUM henryi, Star-Anise, interesting aromatic Chinese					
evergreen shrub	.15	.20	.45	1.25	
INDIGOFERA dosua	.20	.40	1.25		
kirilowi	.15	.20	.60		
ITAEA virginica, native dwarf shrub, charming			-30	.75	2.50
JASMINUM fruticans	.15	.25	.65		
JUGLANS, large quantities priced on request					
californica hindsi					.25 .20
cinerea cinerea, New England seed					.30
mandshurica					1.20
mandshurica, from interior Mandshurica, the hardiest					
and most Northern strain of Walnuts					1.50
nigraregia					.18
regia sinensis					.65
sieboldiana					.75
sieboldiana cordiformis					.75
KALMIA angustifolia, clean	.20 .15	.45	1.50	2.65	
latifolia, clean		•23	.25	.75	2.50
KERRIA japonica	.15				
KOELREUTERIA paniculata	00	24	.15	.30	1.00
KOLKWITZIA amabilis, clean	-20	.35	.85	2.50	1 60
LABURNUM alpinum, seed from Alps Northern seed, Scandinavia and Scotland			.15	.45	1.60 2.50
vossi (alpinum x vulgare)	.25		•20	•10	2.00
vulgare			.15	.35	1.25
LAUROCERASUS caroliniana				.25	.75
lusitanica				.50	1.50
officinalis				.30	1.00
LAURUS nobilis			.15	.30	1.00
LEDUM glandulosum	.50				
groenlandicumlatifolium	.50 .45				
LEIOPHYLLUM buxifolium, fine dwarf evergreen shrub.	.15	GE.	2.00		
buxifolium prostratum	.15		2.00		
40					

	nkt.	1/16 oz.	1/4 07	07	1/. lb	lb,
LESPEDEZA bicolor alba	pkt.	716 02.	74 02.	.15		1.35
rosea				.15	.40	1.25
formosa (japonica)				.15	.35	1.00
formosa albiflora				.20		1.75
TELECOTHOEt-sheet sloop		.15	.35	1.00	3.50	
LEUCOTHOE catesbaei, clean		.20	.50	1.50	3.30	
•						
LEYCESTERIA formosa, clean		.20	.60	2.00		100
LIGUSTRUM amurense				.15	.20	.65
ibotaionandrum				.35	.20	.65 3.00
japonicum	~*			.15	.25	.75
lucidum				.15	.25	.75
quihoui				.45	1.35	
vulgare, clean				.15	.35	1.25
LIQUIDAMBAR styraciflua				.25	.70	2.25
LIRIODENDRON tulipifera				.15	.25	.75
LOISELEURIA procumbens	.85					
LONICERA alpigena	.25			.75	2.25	
caprifolium, the original old English "Honeysuckle,"						
a fine climber with creamy flowers of great fragrance	.20			.25	.75	2.50
henryi, elegant climbing Chinese Honevsuckle, evergreen						
with scarlet flowers all summer and bluish green fruit,	25		45			
hardy at Boston	.25		.45	.40	1.25	
morrowi			.20	.40	1.25	
periclymenum, the original English "Woodbine"	.25					
ruprechtiana, a fine new species	.20			.40	1.25	
tatarica, clean	.15			.40	1.25	3.80
tragophylla, fine climbing Honeysuckle from China, with	20		E0	1 50		
large bright yellow flowersxylosteum, clean	.20		.50	1.50	.60	2.00
LOROPETALUM chinense, from China, half-evergreen				.20	•00	2.00
shrub, very pretty and hardy, close to Witch Hazel.			.25	.65	2.00	
LYTHRUM salicaria, Purple Loosestrive	.25	.50	-20	.00	2.00	
		.30		25	00	2.00
MAACKIA amurensis	.15			.35	.90	3.00
MACLURA pomifera				.15	.30	1.00
MAGNOLIA acuminata					.45	1.50
campbelli, the giant Himalayan "Pink Tulip Tree" for warm climates only	.20		.30	1.25		
conspicua (denudata or Yulan)	•		•00	.55	1.65	5.00
fraseri				.50	1.35	4.50
glauca, hardy Northern strain, New England seed, lean.	.15			-35	.75	2.60
grandiflora				.20	.45	1.60
hypoleuca (obovata)				.20	.60	2.00
kobusliliflora (purpurea)				.20	.60 .90	2.00 3.00
macrophylla				.60	2.00	6.50
parviflora				.30	1.00	3.35
salicifolia				.30	1.05	3.50
soulangeana				.50	1.50	5.00
stellatatripelata				.40	1.25	3.75
tripelata				.15	.45	1.50
MAHONIA aquifolium, cleanjaponica (bealei)				.35	.50	1.85 3.25
nepalensis, the true large flowered Himalayan species.	.15		.25	.75	.85	3.43
nervosa	.45					
pumila	.45					
repens	.15		.25	.65	2.25	

MALUS baccata mandshurica, clean. baccata sibirica, superb, white flowering, hardy, clean. coronaria, coronaria, clean. coronar							
MALUS baccata mandahurica, clean. .40 1.05 3.50		pkt.	1/6 OZ. 1/	á oz.	02.	1/4 lb	lb.
baceata sibirica, superb, white flowering, hardy, clean 1.20 4.00	MALUS baccata mandshurica, clean	•	- 10				3.50
ioensis	baccata sibirica, superb, white flowering, hardy, clean.				.40		
paradisiaca, Paradise (dwarfing) STOCK FOR APPLE. 25				25	76		4.00
Sargenti, dry berries		.25		_		2.50	
Seibeldi arborescens, dry berries 15 20 50 1.50	sargenti, dry berries					.65	2.80
Sylvestris, Apple, FOR FRUIT STOCK, French seed saylvestris, Apple, FOR FRUIT STOCK, Austrian seed theifera, the most remarkable of all flowering Crab Apples, domestic dry fruit		_					4.50
Sylvestris, Apple, FOR FRUIT STOCK, Austrian seed theifera, the most remarkable of all flowering Crab Apples, domestic dry fruit		.15		.20			.80
Apples, domestic dry fruit	sylvestris, Apple, FOR FRUIT STOCK, Austrian seed.						
theifera, clean seed from China		,				A1 #0	
toringoides, Cutlent Crab. in fruit (resembling Napoleon Cherries) one of the handsomest of Crab-Apples, dry fruit			\$.30	•		\$4.00
Author		.10			.10	72120	4 2.00
zumi, clean .20 .50 1.35 4.50 MENZIESIA cilicalyx .25 .80 MERATIA praecox (Calycanthus praecox) fine garden shrub, Spring flowering, fragrant .25 .75 2.50 MORUS alba .15 .40 1.35 alba moretti, large foliage .20 .50 1.75 1.35 alba moretti, large foliage .15 .25 .75 2.50 1.35 nigra, for dry sandy soil .15 .25 .75 2.50 1.35 nigra, for dry sandy soil .15 .25 .75 2.50 1.35 nuba californica, California Bayberry, ornamental shrub with conspicuous fruits, for dry sterile sand. .20 .40 1.25 4.00 carolinensis. .15 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5 .40 1.5							
MENZIESIA cilicalyx	·	20			50	1 35	4 50
MERATIA praecox (Calyeanthus praecox) fine garden shrub, Spring flowering, fragrant.				.20		1.00	4.00
MERATIA praecox (Calyeanthus praecox) fine garden shrub, Spring flowering, fragrant.		25	80				
Spring flowering, fragrant 25 75 2.50		.23	.00				
MORUS alba					.25	.75	2.50
Alba moretti, large foliage				.20			
Alba moretti, large foliage	MORUS alba				.15	.40	1.35
alba tatarica	alba moretti, large foliage			.20			2.00
rubra, Cedrona variety .15 .25 .75 2.50 MYRICA californica, California Bayberry, ornamental shrub with conspicuous fruits, for dry sterile sand. carolinensis. .20 .40 1.25 4.00 cerifera .15 .30 .95 cerifera .15 .40 1.50 NANDINA domestica, American seed .15 .25 .85 NYSSA sylvatica .30 .15 .25 .80 ONONIS fruticosa .30 .90 .20 .50 .50	alba tatarica						1.35
MYRICA californica, California Bayberry, ornamental shrub with conspicuous fruits, for dry sterile sand. carolinensis. .20 .40 1.25 4.00 2.00 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .80 .95 .80 .90 .15 .25 .85 .85 .80 .90 <	nigra, for dry sandy soil						
shrub with conspicuous fruits, for dry sterile sand. .20 .40 1.25 4.00 carolinensis. .15 .30 .95 cerifera. .15 .40 1.50 NANDINA domestica, American seed. .15 .25 .85 NYSSA sylvatica. .30 .15 .25 .80 ONONIS fruticosa. .30 .30 .15 .40 1.25 natrix. .30 .30 .15 .40 1.25 arboreum, clean. .15 .25 .75 .75 PAEONIA suffruticosa (moutan) from wild plants. .20 .50 6.50 suffruticosa from garden collections. .25 .85 2.50 8.50 PALIURUS spina christi (aculeatus) .15 .20 .50 1.75 PHELLODENDRON amurense. .15 .25 .75 2.10 grandiflorus, clean. .15 .25 .75 2.10 grandiflorus, clean. .15 .25 .75 2.10 mock-Orange. .35 .50 .75 PHILLYREA angustifolia .		.13		.23	.73	2.30	
carolinensis. .15 .30 .95 cerifera .15 .40 1.50 NANDINA domestica, American seed .15 .25 .85 NYSSA sylvatica .15 .25 .80 ONONIS fruticosa .30 .30 .30 .30 .30 .30 .30 .30 .30 .30 .30 .30 .30 .30 .25 .75 .40 1.25 .25 .75 .70 .20 .65 .50 .75 .50 .50 .75 .50 .75 .50 .75 .50 .75 <td></td> <td>20</td> <td></td> <td></td> <td>40</td> <td>1.25</td> <td>4.00</td>		20			40	1.25	4.00
NANDINA domestica, American seed. .15 .25 .85 NYSSA sylvatica. .30 .30 .5 .25 .80 ONONIS fruticosa. .30 .30 .5 .25 .85 .20 .5 .40 1.25 .25 .75 .20 .5 .5 .75 .20 .5 .5 .25 .5 .5 .20 .5 .20 .5 .20 .5<		.=0					
NYSSA sylvatica .15 .25 .80 ONONIS fruticosa .30 .30 .15 .25 .40 1.25 natrix .30 .15 .25 .75 .75 .25 .75 .25 .75 .20 .6.50 .50	cerifera				.15	.40	1.50
ONONIS fruticosa .30 natrix .30 OXYDENDRON arboreum .15 .40 1.25 arboreum, clean .15 .25 .75 PAEONIA suffruticosa (moutan) from wild plants .20 .70 2.00 6.50 suffruticosa from garden collections .25 .85 2.50 8.50 PALIURUS spina christi (aculeatus) .15 .30 .90 PERIPLOCA graeca .25 .25 .50 1.75 PHELLODENDRON amurense .15 .20 .50 1.75 PHILADELPHUS coronarius, clean .15 .25 .75 2.10 grandiflorus, clean .15 .35 85 2.50 incanus sargentianus, from China, late flowering .35 .85 2.50 Mock-Orange .35 .45 .50 .75 PHILLYREA angustifolia .50 .75 .75 .20 PHOTINIA (Heteromeles) arbutifolia .15 .35 1.00 beauverdiana, fine Chinese deciduous shrub .30 .90 2.75 glabra .25 <td< td=""><td>NANDINA domestica, American seed</td><td></td><td></td><td></td><td>.15</td><td>.25</td><td>.85</td></td<>	NANDINA domestica, American seed				.15	.25	.85
ONONIS fruticosa. .30 natrix. .30 OXYDENDRON arboreum. .15 .40 1.25 arboreum, clean. .15 .25 .75 PAEONIA suffruticosa (moutan) from wild plants. .20 .70 2.00 6.50 suffruticosa from garden collections. .25 .85 2.50 8.50 PALIURUS spina christi (aculeatus) .15 .30 .90 PERIPLOCA graeca. .25 .90 .50 1.75 PHELLODENDRON amurense. .15 .25 .75 2.10 grandiflorus, clean. .15 .25 .75 2.10 grandiflorus, clean. .15 .35 85 2.50 incanus sargentianus, from China, late flowering .35 .85 2.50 Mock-Orange. .35 .45 .50 .75 PHILLYREA angustifolia. .45 .50 .75 PHOTINIA (Heteromeles) arbutifolia. .15 .35 1.00 beauverdiana, fine Chinese deciduous shrub. .30 .90 2.75 glabra. .25 .75	NYSSA sylvatica				.15	.25	.80
natrix. .30 OXYDENDRON arboreum. .15 .40 1.25 arboreum, clean. .15 .25 .75 PAEONIA suffruticosa (moutan) from wild plants. .20 .70 2.00 6.50 suffruticosa from garden collections. .25 .85 2.50 8.50 PALIURUS spina christi (aculeatus). .15 .30 .90 PERIPLOCA graeca. .25 .25 .50 .50 .75 PHELLODENDRON amurense. .15 .20 .50 1.75 PHILADELPHUS coronarius, clean. .15 .25 .75 2.10 grandiflorus, clean. .15 .25 .75 2.10 mock-Orange. .35 .35 .85 2.50 PHILLYREA angustifolia. .45 .45 .50 .75 PHILLYREA angustifolia. .15 .35 1.00 beauverdiana, fine Chinese deciduous shrub. .30 .90 2.75 glabra. .25 .75 2.35 serrulata, true to name. .25 .75 2.35 odomestic fr		.30					
Arboreum, clean .15 .25 .75	natrix	.30					
PAEONIA suffruticosa (moutan) from wild plants .20 .70 2.00 6.50 suffruticosa from garden collections .25 .85 2.50 8.50 PALIURUS spina christi (aculeatus) .15 .30 .90 PERIPLOCA graeca .25 PHELLODENDRON amurense .15 .20 .50 1.75 PHILADELPHUS coronarius, clean .15 .25 .75 2.10 grandiflorus, clean .15 .35 85 2.50 incanus sargentianus, from China, late flowering Mock-Orange .35 .45 .50 .75 PHILLYREA angustifolia .65 2.00 PHOTINIA (Heteromeles) arbutifolia .15 .35 1.00 beauverdiana, fine Chinese deciduous shrub .30 .90 2.75 glabra .25 .75 2.35 serrulata, true to name .30 .85 3.00 villosa, clean .20 .60 2.00 domestic fruit .50 .50 1.75			15	25		.40	1.25
suffruticosa from garden collections .25 .85 2.50 8.50 PALIURUS spina christi (aculeatus) .15 .30 .90 PERIPLOCA graeca .25 PHELLODENDRON amurense .15 .20 .50 1.75 PHILADELPHUS coronarius, clean .15 .25 .75 2.10 grandiflorus, clean .15 .35 85 2.50 incanus sargentianus, from China, late flowering Mock-Orange .35 .35 .50 .75 PHILLYREA angustifolia .50 .75 .50 .75 PHOTINIA (Heteromeles) arbutifolia .15 .35 1.00 beauverdiana, fine Chinese deciduous shrub .30 .90 2.75 glabra .25 .75 2.35 serrulata, true to name .30 .85 3.00 villosa, clean .20 .60 2.00 domestic fruit .20 .60 2.00		20	.15	.25	• • •	2 00	6 50
PALIURUS spina christi (aculeatus) .15 .30 .90 PERIPLOCA graeca .25 PHELLODENDRON amurense .15 .20 .50 1.75 PHILADELPHUS coronarius, clean .15 .25 .75 2.10 grandiflorus, clean .15 .35 85 2.50 incanus sargentianus, from China, late flowering Mock-Orange .35 .35 .85 2.50 Lewisi .45 .45 .50 .75							
PERIPLOCA graeca .25 PHELLODENDRON amurense .15 .20 .50 1.75 PHILADELPHUS coronarius, clean .15 .25 .75 2.10 grandiflorus, clean .15 .35 85 2.50 incanus sargentianus, from China, late flowering Mock-Orange .35 .45					.15	.30	.90
PHELLODENDRON amurense .15 .20 .50 1.75 PHILADELPHUS coronarius, clean .15 .25 .75 2.10 grandiflorus, clean .15 .35 85 2.50 incanus sargentianus, from China, late flowering Mock-Orange .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .30 .30 .30 .30 .30 .30 .30 .30 .90 2.75 .35 .35 .30 .90 2.75 .35 .30 .90 2.75 .35 .30 .90 2.75 .35 .30 .85 3.00 .30 .85 3.00 .20 .60 2.00 .60 2.00 .60 2.00 .50 1.75 .75		25					
PHILADELPHUS coronarius, clean. .15 .25 .75 2.10 grandiflorus, clean. .15 .35 85 2.50 incanus sargentianus, from China, late flowering Mock-Orange. .35 .35 lewisi. .45 .45 virginalis. .50 .75 PHILLYREA angustifolia. .65 2.00 PHOTINIA (Heteromeles) arbutifolia. .15 .35 1.00 beauverdiana, fine Chinese deciduous shrub. .30 .90 2.75 glabra. .25 .75 2.35 serrulata, true to name. .30 .85 3.00 villosa, clean. .20 .60 2.00 domestic fruit. .20 .50 1.75					00	~ 0	1 75
grandiflorus, clean .15 .35 85 2.50 incanus sargentianus, from China, late flowering Mock-Orange .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 .20 .30 .30 .30 .30 .30 .35 1.00 .30 .90 2.75 .35 .30 .90 2.75 .35 .30 .90 2.75 .35 .30 .85 3.00 .30 .85 3.00 .30 .85 3.00 .30 .85 3.00 .30 .85 3.00 .30 .85 3.00 .30 .85 3.00 .30 .85 3.00 .30 .30 .35 1.75 .35 .30 .30 .35 .30 .30 .35 .30 .30 .35 .30 .30 .35 .30 .30 .35 .30 .30 .35 .30 .30 .35 .30 .30 .30 .35 .30 .30		.15					1.75
incanus sargentianus, from China, late flowering Mock-Orange. .35 lewisi. .45 virginalis. .50 PHILLYREA angustifolia. .65 PHOTINIA (Heteromeles) arbutifolia. .15 beauverdiana, fine Chinese deciduous shrub. .30 .90 glabra. .25 .75 serrulata, true to name. .30 .85 3.00 villosa, clean. .20 .60 2.00 domestic fruit. .20 .50 1.75							
Mock-Orange. .35 lewisi. .45 virginalis. .50 PHILLYREA angustifolia. .65 PHOTINIA (Heteromeles) arbutifolia. .15 beauverdiana, fine Chinese deciduous shrub. .30 glabra. .25 serrulata, true to name. .30 villosa, clean. .20 domestic fruit. .20	incapus sargentianus, from China, late flowering		.15	.35	00	2.50	
virginalis. .50 .75 PHILLYREA angustifolia. .65 2.00 PHOTINIA (Heteromeles) arbutifolia. .15 .35 1.00 beauverdiana, fine Chinese deciduous shrub. .30 .90 2.75 glabra. .25 .75 2.35 serrulata, true to name. .30 .85 3.00 villosa, clean. .20 .60 2.00 domestic fruit. .20 .50 1.75		.35					
PHILLYREA angustifolia .65 2.00 PHOTINIA (Heteromeles) arbutifolia .15 .35 1.00 beauverdiana, fine Chinese deciduous shrub .30 .90 2.75 glabra .25 .75 2.35 serrulata, true to name .30 .85 3.00 villosa, clean .20 .60 2.00 domestic fruit .20 .50 1.75							
PHOTINIA (Heteromeles) arbutifolia .15 .35 1.00 beauverdiana, fine Chinese deciduous shrub .30 .90 2.75 glabra .25 .75 2.35 serrulata, true to name .30 .85 3.00 villosa, clean .20 .60 2.00 domestic fruit .20 .50 1.75	PHILLYREA angustifolia	.50	.75			.65	2.00
beauverdiana, fine Chinese deciduous shrub. .30 .90 2.75 glabra. .25 .75 2.35 serrulata, true to name. .30 .85 3.00 villosa, clean. .20 .60 2.00 domestic fruit. .20 .50 1.75					.15		
serrulata, true to name. .30 .85 3.00 villosa, clean. .20 .60 2.00 domestic fruit. .20 .50 1.75							
villosa, clean	7						
domestic fruit							
	PHYSOCARPUS (Spiraea) opulifolius				.20	.55	1 80

	mlet	1/16 oz.	1/. 07	~~	1/. 115	lb.
numbro d. il. i. i. i.	pkt.	716 02.				
PIERIS floribunda, clean		.15	15	.45	1.50 1.75	5.00
japonica, cleanmariana, fine hardy shrub, clean		.15	.25 .25	.60	1.75	
PITTOSPORUM tobira		.13	.23	.30	.75	2.75
PLATANUS occidentalis.				.50	.25	.85
orientalis					.25	.85
POLYGONUM auberti	.30					
baldshuanicum	.30					
POTENTILLA fruticosa	.25	.50	1.50			
fruticosa veitchi	.25	.50	1.50			
PRUNUS allegheniensis, Alleghany Pium, similar to						
maritima but more upright, a valuable landscape						
plant, shrub or small tree, white flowers turning						
pinkish, blue-bloomy, edible fruit						
10 seeds .25—100 seeds 1.50				15	20	1 00
americana, clean				.15	.30	1.00
armeniaca					.20	.65 .55
avium, Mazzard Cherry—FOR FROIT STOCK avium sylvestris, gum flux resistant silver bark strain						.55
of Mazzard Cherry—FOR FRUIT STOCK				.15	.30	1.00
besseyi, Western Sandcherry, clean				.25	.45	1.50
caroliniana, see Laurocerasus					***	2.00
cerasifera (myrobolan)—FOR FRUIT STOCK					.20	.65
davidiana, see Amygdalus						
demissa melanocarpa (virginiana melanocarpa), clean.				.25	.70	2.50
ilicifolia				.20	.50	1.50
incisa, clean				.20	.55	1.75
lannesiana, clean				.20	.35	1.00
lyoni (integrifolia) Catalina Cherry				.20	.35	1.25
mahaleb, Mahaleb Cherry—FOR FRUIT STOCK—						
cleanmandshurica, hardy Apricot—FOR FRUIT STOCK—				.15	.25	.75
mandshurica, nardy Apricot—FUR FRUIT STOUK—				4 5	20	1 00
clean				.15	.30	1.00 2.00
mume, clean				.15	.25	.75
nigra				.20	.40	1.50
padus, clean				.15	.25	.85
pennsylvanica				.20	.50	1.75
persica, see Amygdalus						
serotina				.15	.25	.70
clean				.20	.50	1.65
serrulata, clean				.15	.30	1.00
serrulata sachalinensis, clean	.15			.20	.50	1.75
serrulata spontanea, Chinese flowering Cherry	.15			.30	.75	2.50
spinosa, clean	4.5			0.5	.25	.75
subhirtella, clean	.15			.25	.60	2.00
subhirtella pendula, clean	.15			.30	.70	2.50
tomentosa, clean				.15	.40	1.50 1.25
triloba, cleanvirginiana, New England seed				.15	.30	1.25
virginiana, clean				.20	.60	2.00
yedoensis, clean				.20	.50	1.75
PTELEA trifoliata				.15	.35	1.20
PTEROCARYA caucasica					1.00	3.00
PTEROSTYRAX corymbosum, Epaulette Tree, deciduous						
tree from China	.15			.25	.75	2.25
PUERARIA thunbergiana				.15	.35	1.25
PYRACANTHA coccinea				.15	.35	1.25
coccinea lalandi, hardy strain, here collected				.20	.70	2.50
formosa splendens, Splendid Firethorn, regarded as the						
most freely fruiting of all Cotoneaster and Pyracantha,						
bearing heavy crops of large brilliant red, glossy berries			25	55	1 60	
			.25	.55	1.60	1.75
yunnanensis				.20	.40	4.10

PYRUS betulaefolius, an ornamental pear with attractive	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
foliage and white flowers, a small tree of graceful						
habit			.20	.50		5.00
calleryana—FOR FRUIT STOCK communis, Wild Pear—FOR FRUIT STOCK				,50		5.00 1.25
serotina, Japanese Pear, blight-resistant—FOR FRUIT						
STOCKussuriensis, Chinese Pear, blight-resistant—FOR FRUIT				.30		2.50
STOCK				.30	.70	2.50
QUERCUS, all Oak seed should be ordered as early as possible						
in the fall. Quercus rubra and other domestic var-						
ieties are being stored for spring planting. Ask for quantity prices.						
alba						.20
alba, New England						.35
agrifolia						1.00
borealis, see rubra ambigua						.45
chrysolepis						.43
from us you will receive Quercus coccinea Muenchh and nothing else						
Northern only						.20
coccinea, hand-selected						.30
falcata, Southern Red Oak					0 2	.35
glauca, Chinese Evergreen Oak					.35	1.00
imbricaria						.60
kelloggi						.45
lyrata						.40
macrocarpa, Northern only						.20
nigra						.25
palustris, Northern only						.25
phellos						.30
prinus						.20
rubra						.20
rubra, hand-selected						.25
rubra ambigua (borealis) large seeded Northern Red						25
Oak						.30
stellata						.25
velutina						.25
virginiana						.25
Acorns of Quercus rubra are of surprising vitality,						
requiring very little moisture for germination.						
We have planted these with good success as late as July, without irrigation.						
Acorns are available for fall, winter and spring						
planting as far as stocks permit.						
RAPHIOLEPIS indica				.20	.40	1.50
umbellata (japonica)				.20	.40	1.50
RHAMNUS caroliniana				.15	.40	1.35
cathartica				.20	.55	1.75
frangula, clean				.15	.40	1.25
purshiana				.35	.95	3.00

lb.

pkt. 1/16 oz. 1/4 oz. oz. 1/4 lb. RHEDERODENDRON macrocarpum, a new tree of the Styrax family, recently discovered in West China and named after Prof. Alfred Rehder of the Arnold Arboretum, flowers similar to those of the Silver Bell, but larger and pinkish, in dense clusters, fruits woody, larger than an egg..............10 each—10 for .85 RHODORA, canadensis (see Rhododendron canadensis).... RHODODENDRON—All our Rhododendron seeds are being tried in test plantings. Our seed are the best available and will grow if properly planted. .75 adenopodum...... aechmophyllum..... .75 ambiguum, yellow..... 1.25 .50 anwheiense, from China..... .35 .75 aralioides..... .75 arboreum..... .15 .30 .50 1.50 augustini..... .55 1.50 brachycarpum..... .20 .55 1.75 .15 californicum................................ .40 1.25 .15 calophytum..... .75 .60 campanulatum...... 1.50 canadensis (Rhodora can.)..... .45 1.00 3.90 cantabile..... -55 carolinianum, New England seed..... .35 1.00 .15 carolinianum, album New England seed..... .35 .75 2.50 .20 .40 1.25 catawbiense, New England seed from garden plants.... .15 .20 .40 1.25 catawbiense compactum............ .40 charianthum....... .75 chartophyllum....... .75 ciliatum....... .60 dahuricum..... .15 35 .85 3.00 .50 .75 decorum major...... .75 disquamatum....... ferrugineum....... .15 .20 .50 1.50 floribundum....... .75 .25 fortunei............ .45 .115 3.50 fortunei cyanocarpum............ .75 hippophaeoides...... .40 2.00 hirsutum........ .20 .35 .80 2.50 impeditum...... .55 keiskei............ .60 1.80 lapponicum....... .90 longistylum..... .75 lutescens.... .60 mariesi, promising Chinese introduction, neat, bushy shrub, handsome free-blooming, clusters of pale-lilac .25 2.00 .75 maximum..... .30 1.00 .15 maximum, seed from a number of large flowered garden .20 .65 specimens..... metternichi, form as in trade...... .30 .85 .15 metternichi, the true species...... .75 .65 micranthum...... .25 minus (punctatum), New England seed..... .50 1.50 mucronulatum...... 2.50 .15 .35 .80 oleifolium, see racemosum oreodoxa..... .40 1.50 oreotrephes...... .75

.30

1.00

3.00

ovatum......

	pkt.	1/16 oz.	1/4 07.	07.	¼ lb.	lb.
RHODODENDRON (Continued)	Parav	710 021	74 021	02.	74	
polylepis	.75					
ponticum, from a choice strain in Northern Europe,						
built up in years of selection. The strains of ponticum are less exacting as to soil conditions than other						
Rhododendron, producing fast growing floriferous						
plants having larger and finer flowers than Cataw-						
biense. Shades are of pink-rose, purple, violet and						
intermediate. If planted under shelter of buildings,						
trees or woodland protection, plants are reliably hardy.						
These have stood unharmed the Arctic cold of the	,					
winters, 1928-29, in northern Europe. A number of our finest Rhododendron Hybrids are of ponticum						
parentage	.40	.85	2.25	7.50		
ponticum, for understock		.25	-60	1.75		
ponticum compactum	.50	1.00				
punctatum, see minus						
racemosum1.35 ½ ounce	.75					
racemosum oleifolium	.75 .75					
siderophyllumsmirnovi	.50	1.25				
thomsoni, from garden plants	.75	1.20				
ungerni	.50	1.50				
wittoni, dwarf, attractive with white red-spotted flowers	.75					
yanthinum	.75					
yunnanense	.75	2.00				
RHODODENDRON HYBRIDS (Trial packets at half price Album elegans	•) •50	1.50				
Album grandiflorum	.50	1.50				
Arboreum Hybrids	.20	.35	1.00	3.00		
Ascot Brilliant	1.00					
Aucklandi Hybrids	1.00					
Bagshot Ruby	1.00	1.50				
Boule de NeigeBrittannia	1.00	1.50				
Caractacus	50	1.50				
Catawbiense album	.50	1.50				
Catawbiense grandiflorum	-50	1.50				
Catawbiense Hybrids, New England seed	.20	.30		3.00		
from pink flowered plants from red flowered plants	.50	1.50 2.00				
Cunningham's, white	.50	2.00				
Daisy Rand, here collected	.45					
Dawn's Delight	1.00					
Decorum x Aucklandi	.75					
Edward S. Rand	1.00	1 50				
EverestianumFortunei Hybrids	.50 1.00	1.50				
George Hardy	1.00					
Kettledrum	.50	1.50				
Lady E. Cathcart	1.00					
Lee's Dark Purple	1.00					
Loder's White	.75 1.00					
Luscombei (fortunei x thomsoni)	1.00					
Mrs. Lindsay Smith	1.00					
Parson's Grandiflorum	1.00					
Pink Pearl	1.00					
Roseum elegans	.50	1.50				
Smirnovi Hybrids	.40	1.35				
Choice Hybrid Seed, collected by a Rhododendron	1.00					
specialist in Northern Europe from new, choice and						
named varieties, of both English and Continental						
breeders	1.25					

glaucum

RHODODENDRON, collected in the Himalayan Mountains of India.

anthopogon arboreum, type, pink flowers in large trusses arboreum, red flowering argentum aucklandi (griffithianum) barbatum camelliaeflorum campanulatum campbelli campylocarpum ciliatum cinnabarinum dalhousiae edgeworthi falconeri

grande hodgsoni lanatum lepidotum maddeni niveum pendulum pumilum setosum thompsoni thompsoni var. candilabra triflorum vaccinoides virgatum watti wighti zeylanicum

	pkt.	1/6 oz. 1/4 oz.	oz.	1/4 lb.	lb.
RHODOTYPOS kerriodes			.20	.45	1.25
RHUS canadensis			.15	.30	1.00
copallina			.15	.30	.85
cotinus			.20	.50	1.75
glabra				.20	.60
integrifolia	.20		.55	1.00	3.50
laurina	.20		.55	1.00	3.50
ovata	.20		.65	1.20	4.00
typhina				.25	.75
RIBES alpinum, clean		.25	1.00	3.25	
aureum, clean		.25	.85	3.00	
bracteosum	.45				
lacustre	.45				
sanguineum, clean			.40	1.10	3.75
ROBINIA pseudoacacia				.20	.55
pseudoacacia bessoniana			.20	.40	1.50
pseudoacacia inermis, Thornless Locust			.15	.35	1.25
pseudoacacia spectabilis			.20	.40	1.50
viscosa, pink flowering Locust			.30	.85	2.75
ROSA acicularis, a native rose from the extreme North		.15	.25	.65	
acicularis nipponica		.20	.50	1.50	
blanda			.15	.30	1.00
canina, clean			.15	.25	.75
canina, Kokulinski variety, preferred as stock for graft-					
ing, clean			.30	.80	2.75
canina, Senff's variety, preferred as stock for grafting,					
clean			.40	.95	3.25
dahurica			.20	.40	1.50
gymnocarpa	.45				
helenae	.15	.35			
hugonis	.25	•00			
humilis.	• 20		.15	.30	1.00
laxa (froebeli), a hardy rose for stock			.25	.65	2.25
take (11000011), a manay 1000 tot byook			-40	.00	2.20

	pkt.	1/6 oz. 1/4 oz.	02.	¼ lb.	lb.
ROSA (continued)					
lucida (virginiana)lucida (virginiana) alba, white flowered Meadow Rose	.35		.15	.30	.95
maximowicziana	•33		.20	.40	1.50
multiflora, domestic hips, well cleaned, bright red			.15	.25	.75
multiflora, broken up hips, ready for planting			• 10	.30	.85
multiflora, imported clean			.15	.35	1.00
multiflora nana, Baby Rose, starts flowering three months after sowing 100 hips .50—1000 hips 3.25					
nitida			.15	.35	1.00
nutkana	.45				
palustris				-35	1.00
pisocarpa	.45				
rubiginosa			.20	.50	1.00
rubiginosa, clean			.15	.40	1.50
rubrifolia, clean			.30	.80	2.75
rugosa, clean			.15	.35	1.00
sericea	.25	.50		~~	1.05
setigera, hips			.15	.35	1.25
clean			.30	.70	2.50
spinosissima, an old time garden jewel of extreme			20	F 0	1.75
hardinessspinosissima altaica		.30	.20 1.25	.50	1.75
suffulta (pratincola) a native rose from the extreme		.30	1.25		
North		.15	.30	.80	
villosa (pomifera) very large apple-like fruits, fine for		•13	.50	.00	
preserves, clean		.15	،30	.80	2.75
wichuriana, clean		• • • • • • • • • • • • • • • • • • • •	.15	.35	1.00
wichuriana, domestic hips			.15	.30	.90
RUBUS parviflorus	.45				
RUSCUS aculeatus			.20	.40	1.50
racemosus			.20	.50	1.75
SAMBUCUS canadensis			.15	.25	.75
coerulea	.45		.13	.23	.,,
leiosperma	.45				
nigra, clean	.40		.20	.40	1.50
racemosa, clean			.25	.75	2.50
			•		4.00
SARCACOCCA chingi, fine evergreen ornamental of Box					
family, yellow flowers, purple fruit	.25	.40	1.50		
SASSAFRAS varifolium			.15	.30	.90
SCHINUS molle			.20	.50	1.75
SCHIZANDRA sphenanthera, deciduous climber, with red					
leaf stalks, orange flowers, long strings of bright red					
bead like berries, China		.35	1.00		
SCHIZOPHRAGMA hydrangeoides			.35	1.20	4.50
integrifolia denticulatum, Chinese Climbing Hydran-		•			
gea, with large leaves, flowers in large cymes often a					
foot across	.30	.50	1.50		
CHEDIEDDIA			95	70	2 50
SHEPHERDIA argentea	.60		.25	.70	2.50
canadensis	.00				
SKIMMIA japonica			.25	.55	2.25
reevisiana, China	.20	.35	1.00		
		15 20	OF.		
SORBARIA (Spiraea) aitchisoni		.15 .30 .15 .30	.85 .85		
assurgenslindleyana		.15 .25	.75		
sorbifolia		.15 .35	1.25		

	nkt.	1/2 07	1/4 oz.	07.	1/. lb.	lb.
SORBUS alnifolia	PALCE	710 021	/4 024	.30	.85	10.
americana				•••	.45	1.25
aria, clean				.30	.75	2.50
aucuparia, berries					.25	.75
clean		•		.30	.75	2.50
commixta, Japanese Mountain Ash, domestic seed				.40	1.25	
scandica, clean			.15	.35	1.00	
SOPHORA japonica				.15	.25	.75
pendula				.15	.30	1.00
secundiflora, fine Mexican S. violet flowered			.25	.60	2.00	
vicifolia			.20	.50	1.50	
SPARTIUM junceum				.15	.35	1.25
SPIRAEA douglasi	.45					
tomentosa, easy grown native shrub with deep rose						
flowers, good "filler" plant in landscape work				.30	.80	2.50
trichocarpa, a fine hardy garden shrub, easily raised						
from seed, domestic seed	.15		.25	.75		
veitchi	.25					
wilsoni	.25					
STACHYURUS chinensis, a handsome early flowering shrub	.45					
STAPHYLEA bumalda				.15	.30	1.00
pinnata				.15	.25	.90
trifolia				.20	.45	1.80
STEPHANANDRA chinensis			.25	.85		1.00
			.45	.00		
STEWARTIA gemmata	.50	•				
monadelpha				.35	1.10	4 40
pentagyna				.50	1.40	4.50
pseudocamelliasinensis	.50			.35	1.10	3.50
STRANVESIA davidiana.	.30					
	.50					
styrax americanacalvescens, from China, shining green leaves, pale orange				.15	.35	1.00
	.20			1 00		
flowers japonica	.20			1.00	25	1 25
obassia				.20	.35	1.25 1.50
officinalis			.15	.45	1.25	1.50
philadelphoides, from China, large white fragrant			•10	. 10	1.20	
flowers, similar to those of the Mock-Orange				.30	.75	2.50
SYMPHORICARPOS chenaulti				.50	•••	_,,,
racemosus, clean				.15	.35	1.10
vulgaris				.15	.35	1.10
SYMPLOCOS paniculata (crataegoides)				.25	.70	2.75
SYRINGA, amurensis clean			.25	.75		2.75
dilatata, clean	.15		.20	.50	1.50	
japonica, clean	.15		.20	.50	1.50	5.00
josikaea, clean				.35	.90	3.00
micrantha, clean			.35	1.00	3.00	
microphylla, a much favored Chinese species, small						
shrub to 5 feet, flowers pale lilac in June and again						
in late Summer, clean	.15		.25	.65	2.25	7.00
oblata, clean	.15		.20	.50	1.50	5.00
palabiniana, early flowering species from Korea, elegant						
shrub with lilac-mauve flowers, clean			.20	.60	1.65	6.00
villosa, clean	.15		.25	.50	1.50	5.00
vulgaris, clean	.15			.25	.60	2.00
white, cleanwhite, double flowered			20	.25	.75	2.50
red, double flowered			.30 .30	1.00		
collected from Charles X, red	.15		.35	.85		
French Hybrids, saved from choice domestic collec-	.13		.00	.03		
tion of named varieties, clean	.15		.20	.50	.135	5.00
				,,,,	1200	

	pkt.	1/6 oz. 1/4 oz.	oz.	1/4 lb.	lb.
TAMARIX gallica		7,0 0 1 7,4 0 1	.20	.60	2.00
TERNSTROEMIA gymnanthera, evergreen shrub from			.20	.00	2.00
China, flowers in clusters, creamy-yellow, nodding,					
sweet scented, bright red fruit on brilliantly colored					
long stalks. One of the handsomest of shrubs		.25	.75		
"		.23	.75		
THEA oleosa, Oil Tea Bush from China, Camellia-like leaves,	25		F 0		
with large red, plum-like fruits	.25		.50		
sinensis, Tea Bush from China, collected from a hardy			.15	.45	1.25
variety					
TILIA americana	•		.15	.30	1.00
argentea, see tomentosa					
cordata (parvifolia)				.25	.90
platyphyllos				.25	.90
tomentosa				_25	.90
a garden jewel from Chile, lantern-like flowers of glowing crimson in May, shrub or small tree	.65				
TRIPTERIGIUM regeli	.15		.40	1.10	3.50
ULEX europeus.	.13		.20	.60	2.00
europeus nanus			.30	.90	3.00
ULMUS americana	.55		.50	.50	3.00
parvifolia, Lace Bark Elm, excellent shade tree	.33		.25	.60	2.00
pumila			.20	.50	1.50
				.00	1.00
UMBELLULARIA californica, California Laurel, one of the			0.5	~~	2 50
finest of American Evergreens, fairly hardy			.25	.75	2.50
VACCINIUM corymbosum		.20	.35	.90	3.00
corymbosum, from large fruited, cultivated varieties,					
such as Pioneer, Rubel, Cabot. These are planted					
for their delicious fruit	.20	.25	.75		
ovatum	.45				
parvifolium	.45				
vitis idaea, fine rock garden and ground cover plant on	20				
poor soil, with red berries	.30				
VIBURNUM acerifolium			.15		1.00
americanum	~ =		.15	.35	1.25
betulaefolium	.35		20	70	0.50
carlesi, clean			.30		2.50 1.75
cassinoides			.20	.55 .20	.75
dentatumdil tatawa demonsis			.15	.35	1.25
dilatatum, domesticseed from Japan, clean			.15	.35	1.25
seed from China, cleanseed from China, clean			.20	.45	1.60
furcatum, Chinese Hobble-Bush	.15		.25	.65	2.25
ichangense from China, with handsome foliage, white	.13		.20	.00	
flowers and red fruits	.20		35	1.00	3.00
lantana, clean	0		•	.40	1.50
lentago				.25	.90
molle			.25	.60	2.00
nudum			.20	.40	1.50
odoratissimum, clean	.15		.20	.40	1.50
opulus, clean			.20	.40	1.50
prunifolium			.15	.35	1.25
rhytidophyllum	.15		.20	.65	2.50
setigerum, from China, upright shrub of neat habit with					
large glossy handsome leaves and ornamental bright					
orange fruits	.20		.35	1.00	3.00
sieboldi, clean			.15	.35	1.10
tinus, clean			.15	.35	1.25
tomentosum, clean	.15		.25	.70	2.50
wrighti, clean	.15		.25	.65	2.25

F. W. SCHUMACHER

	pkt.	1/16 oz.	1/4 oz	. 02	. 1/411	lb
VITEX agnus castus				.15	.40	1.25
white				.25	.60	2.00
macrophylla	.15			.25	.60	2.00
negundo incisa	.15			.40	1.25	
VITIS aestivalis				.30	.70	2.50
amurensis				.20	.55	1.75
coignetiae				.15	.40	1.35
cordifolia				.20	.35	1.75
davidi, China	.15			.30	.70	2.50
labrusca				.25	.65	2.25
rotundifolia				.30	.75	2.75
titanea, with large lustrous leaves	.20		.35	1.25		
WEIGELA grandiflora	.20		.25	.75		
praecox, fine early	.25	.50				
rosea (florida)	.25		.40			
Eva Rathke	.25		.40			
venusta	.25					
WISTERIA frutescens				.30	.80	2.75
frutescens magnifica				.35	1.10	3.50
multijuga, blue				.25	.60	2.00
white				0	.75	2.50
sinensis, blue, domestic, collected from garden plants				.15	.45	1.25
blue, imported				.15	.30	.95
white				.25	.60	2.00
XANTHOCERAS sorbifolia.	.20			.60	1.80	6.00
AANTHOCERAS gorbholig	.20			.00	1.00	0.00
YUCCA baccata	.15		.25	.75		
brevifolia	.15		.25	.75		
filamentosa	.15			.25	.60	2.00
glauca (angustifolia)	.15			.25	.65	2.25
gloriosa	.20			.35	1.00	
whipplei, see Hesperoyucca						
ZENOBIA pulverulenta, clean	.25	.50	1.50			
ZIZYPHUS jujuba				.15	.40	1.25



